

Mountain Flora
 634 W. Main St.
 Sylva, NC 28779
 mountainflora@yahoo.com
 828-307-0727

Sample: 02-05-2024-45433
 Sample Received: 02/05/2024;
 Report Created: 02/06/2024; Expires: 02/05/2025

CBD FS Tincture
 Ingestible, Tincture



0.205 %
 Total THC

0.205 %
 Δ-9 THC

7.223 %
 Total Cannabinoids

6.813 %
 Total CBD

Cannabinoids

(Testing Method: HPLC, CON-P-3000)
 Date Tested: 02/05/2024

Complete

Analyte	LOD	LOQ	Mass	Mass	
	%	%	%	mg/g	
Δ-8-Tetrahydrocannabinol (Δ-8 THC)	0.0098	0.0146	0.073	0.732	
Δ-9-Tetrahydrocannabinol (Δ-9 THC)	0.0098	0.0146	0.205	2.051	
Δ-9-Tetrahydrocannabinolic Acid (THCA-A)	0.0098	0.0146	ND	ND	
Δ-9-Tetrahydrocannabiphorol (Δ-9-THCP)	0.0098	0.0146	ND	ND	
Δ-9-Tetrahydrocannabivarin (Δ-9-THCV)	0.0098	0.0146	ND	ND	
Δ-9-Tetrahydrocannabivarinic Acid (Δ-9-THCVA)	0.0098	0.0146	ND	ND	
R-Δ-10-Tetrahydrocannabinol (R-Δ-10-THC)	0.0098	0.0146	ND	ND	
S-Δ-10-Tetrahydrocannabinol (S-Δ-10-THC)	0.0098	0.0146	ND	ND	
9R-Hexahydrocannabinol (9R-HHC)	0.0098	0.0146	ND	ND	
9S-Hexahydrocannabinol (9S-HHC)	0.0098	0.0146	ND	ND	
Tetrahydrocannabinol Acetate (THCO)	0.0098	0.0146	ND	ND	
Cannabidivarin (CBDV)	0.0098	0.0146	0.036	0.363	
Cannabidivarinic Acid (CBDVA)	0.0098	0.0146	ND	ND	
Cannabidiol (CBD)	0.0098	0.0146	6.788	67.880	
Cannabidiolic Acid (CBDA)	0.0098	0.0146	0.028	0.283	
Cannabigerol (CBG)	0.0098	0.0146	0.043	0.431	
Cannabigerolic Acid (CBGA)	0.0098	0.0146	ND	ND	
Cannabinol (CBN)	0.0098	0.0146	0.029	0.289	
Cannabinolic Acid (CBNA)	0.0098	0.0146	ND	ND	
Cannabichromene (CBC)	0.0098	0.0146	0.020	0.199	
Cannabichromenic Acid (CBCA)	0.0098	0.0146	ND	ND	
Total			7.223	72.228	

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; ND = Not Detected.

Total THC Measurement of Uncertainty: ± 0.050%
 Total CBD Measurement of Uncertainty: ± 2.000%
 THCO potency analysis does not designate quantitative specificity of Δ-8-THCO and Δ-9-THCO isomers



New Bloom Labs
 6121 Heritage Park Drive, A500
 Chattanooga, TN 37416
 (844) 837-8223
 TN DEA#: RN0563975
 ANAB Testing Laboratory (AT-2868): ISO/IEC
 17025:2017

Natalie Siracusa
 Natalie Siracusa
 Laboratory Director

Powered by
 reLIMS
 info@relims.com